NINIX LOUNGE 40 LOUNGE TABLE

REF: NNXL 40 T ...





TECHNICAL INFO

DIMENSIONS

Width 83 cm / 33 inch
Depth 40 cm / 16 inch
Height 29 cm / 11 inch



12,8 kg / 28,2 Lbs

PACKAGING

This item is carefully packed.



0.10 m³ - 3,5 Cbft

MAINTENANCE

http://www.royalbotania.com/maintenance

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AlSl304 18/08 with 18% chromium and 8% nickel. Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel. Wall thickness of the Stainless Steel tubes: 2mm After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: $60-80~\mu m$).

COATED STAINLESS STEEL - WHITE
COATED STAINLESS STEEL - SAND
COATED STAINLESS STEEL - BLACK

TOP

GLASS

Its resistance to staining and scratching makes glass a highly suitable material when making tabletops for outdoor furniture.



CERAMIC

Ceramic table tops are made of inorganic materials that crystallise at very high temperatures and are thus very hard and resistant to wear.



TEAK

We only use carefully selected, fully grown teak, which is harvested in accordance with the strictest environmental standards. The reason for its generally commended durability is the high levels of natural oils it contains. The resulting minimal moisture absorption prevents warping which gives it great stability. Moreover, the wood is extremely resistant to the influences of chemicals, as well as against attacks by vermin.



TEAK

NINIX LOUNGE 80 LOUNGE MODULE

REF: NNXL 80





TECHNICAL INFO

DIMENSIONS

Width 75 cm / 30 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



21,3 kg / 47 Lbs

PACKAGING

This item is carefully packed per piece.



0.55 m³ - 19,4 Cbft

MAINTENANCE

http://www.royalbotania.com/maintenance

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AlSl304), type AlSl304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).

COATED STAINLESS STEEL - WHITE

COATED STAINLESS STEEL - SAND

COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.

WHITE

CAPPUCCINO

PEARL GREY

BLACK

CHARACTERISTICS

✓ Cushions

CUSHIONS

NINIX LOUNGE 80 CORNER MODULE

REF: NNXL 80 CT





TECHNICAL INFO

DIMENSIONS

Width 83 cm / 33 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



29,4 kg / 64,8 Lbs

PACKAGING

This item is carefully packed per piece.



0.55 m³ - 19,4 Cbft

MAINTENANCE

http://www.royalbotania.com/maintenance

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AlSl304), type AlSl304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).

COATED STAINLESS STEEL - WHITE

COATED STAINLESS STEEL - SAND

COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.

WHITE

CAPPUCCINO

PEARL GREY

BLACK

CHARACTERISTICS

✓ Cushions

CUSHIONS

NINIX LOUNGE 80 LEFT ARM MODULE

REF: NNXL 80 LT





TECHNICAL INFO

DIMENSIONS

Width 79 cm / 31 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



23,4 kg / 51,6 Lbs

PACKAGING

This item is carefully packed per piece.



0.55 m³ - 19,4 Cbft

MAINTENANCE

http://www.royalbotania.com/maintenance

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).

COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-drying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

CHARACTERISTICS

✓ Optional teak armrests

✓ Cushions

CUSHIONS

NINIX LOUNGE 80 RIGHT ARM MODULE

REF: NNXL 80 RT





TECHNICAL INFO

DIMENSIONS

Width 79 cm / 31 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



23,4 kg / 51,6 Lbs

PACKAGING

This item is carefully packed per piece.



0.55 m³ - 19,4 Cbft

MAINTENANCE

http://www.royalbotania.com/maintenance

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).

COATED STAINLESS STEEL - WHITE

COATED STAINLESS STEEL - SAND

COATED STAINLESS STEEL - BLACK

SEAT BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.

CAPPUCCINO

PEARL GREY

BLACK

CHARACTERISTICS

✓ Optional teak armrests

CUSHIONS

NINIX LOUNGE 150 LOUNGE TABLE

REF: NNXL 150 T ...





TECHNICAL INFO

DIMENSIONS

Width 150 cm / 59 inch
Depth 105 cm / 41 inch
Height 40 cm / 16 inch



62,3 kg / 137,3 Lbs

PACKAGING

This item is carefully packed.



0.63 m³ - 22,2 Cbft

MAINTENANCE

http://www.royalbotania.com/maintenance

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel. Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel. Wall thickness of the Stainless Steel tubes: 2mm After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).

COATED STAINLESS STEEL - WHITE

COATED STAINLESS STEEL - SAND

COATED STAINLESS STEEL - BLACK

TOP

GLASS

Its resistance to staining and scratching makes glass a highly suitable material when making tabletops for outdoor furniture.

WHITE CAFFE LATE

CERAMIC

Ceramic table tops are made of inorganic materials that crystallise at very high temperatures and are thus very hard and resistant to wear.



NINIX LOUNGE 160 CENTER MODULE

REF: NNXL 160 CT





TECHNICAL INFO

DIMENSIONS

Width 150 cm / 59 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



44,7 kg / 98,5 Lbs

PACKAGING

This item is carefully packed per piece.



1,04 m³ - 36,7 Cbft

MAINTENANCE

http://www.royalbotania.com/maintenance

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).







SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.



CHARACTERISTICS

✓ Cushions

CUSHIONS

NINIX LOUNGE 160 LEFT ARM MODULE

REF: NNXL 160 LT





TECHNICAL INFO

DIMENSIONS

Width 154 cm / 61 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



46,8 kg / 103,2 Lbs

PACKAGING

This item is carefully packed per piece.



1,04 m³ - 36,7 Cbft

MAINTENANCE

http://www.royalbotania.com/maintenance

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AlSl304), type AlSl304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

CHARACTERISTICS

✓ Cushions

CUSHIONS

NINIX LOUNGE 160 RIGHT ARM MODULE

REF: NNXL 160 RT





TECHNICAL INFO

DIMENSIONS

Width 154 cm / 61 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



46,8 kg / 103,2 Lbs

PACKAGING

This item is carefully packed per piece.



1,04 m³ - 36,7 Cbft

MAINTENANCE

http://www.royalbotania.com/maintenance

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AlSI304), type AlSI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-drying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

CHARACTERISTICS

CUSHIONS

NINIX LOUNGE 160 BENCH MODULE

REF: NNXL 160 ...





TECHNICAL INFO

DIMENSIONS

Width 154 cm / 61 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



46,8 kg / 103,2 Lbs

PACKAGING

This item is carefully packed per piece.



1,04 m³ - 36,7 Cbft

MAINTENANCE

http://www.royalbotania.com/maintenance

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).

COATED STAINLESS STEEL - WHITE

COATED STAINLESS STEEL - SAND

COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.

CAPPUCCINO
PEARL GREY
BLACK

CHARACTERISTICS

✓ Cushions

CUSHIONS

NINIX LOUNGE 40 LOUNGE TABLE

REF: NNXL 40 S ...





TECHNICAL INFO

DIMENSIONS

Width 83 cm / 33 inch
Depth 40 cm / 16 inch
Height 56 cm / 22 inch



19,5 kg / 43 Lbs

PACKAGING

This item is carefully packed.



0.19 m³ - 6,7 Cbft

MAINTENANCE

http://www.royalbotania.com/maintenance

MATERIALS

FRAME

STAINI ESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel. Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel. Wall thickness of the Stainless Steel tubes: 2mm After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: $60-80 \ \mu m$).

COATED STAINLESS STEEL - WHITE

co

COATED STAINLESS STEEL - BLACK

TOP

GLASS

Its resistance to staining and scratching makes glass a highly suitable material when making tabletops for outdoor furniture.

WHITE CAFFE LATE

CERAMIC

Ceramic table tops are made of inorganic materials that crystallise at very high temperatures and are thus very hard and resistant to wear.

WHITE BLACK
TAUPE GREY PEARL GREY

TEAK

We only use carefully selected, fully grown teak, which is harvested in accordance with the strictest environmental standards. The reason for its generally commended durability is the high levels of natural oils it contains. The resulting minimal moisture absorption prevents warping which gives it great stability. Moreover, the wood is extremely resistant to the influences of chemicals, as well as against attacks by vermin



TEAK